

WOOD FIRES 2024





Masport Heating - proudly made in New Zealand.

Superior build quality, extensive research and development, rigorous quality control and a guarantee of workmanship are values that are synonymous with Masport Heating. The brand is part of the Glen Dimplex Group, the largest manufacturer of wood fires in Australasia, allowing Masport to bring an extensive product range to market that offers great value for money.

Masport Heating is committed to producing the best wood fires in New Zealand. Our confidence is reflected in the 10-year fire box warranty on the entire LEB & Rural wood fire range, 15 years on non-catalytic and 20 years on catalytic fire box warranty on the ULEB range. We hold operational spare parts, available for purchase, for 15 years from the last date of manufacture for all models. So you can rest assured that you are buying a quality, New Zealand made product from a reliable and renowned wood fire manufacturer.

For more information, please view our latest range of products on offer in this brochure or visit our website www.masportheating.co.nz.

Contents

Buying Guide for Masport	4
Freestanding Fires (ULEB)	7
Freestanding Fires (LEB)	12
Freestanding Fires (Rural)	18

Inbuilt Fires	22
Outdoor Fires	25
Masport Warranties	26

Proud member of

Why buy a Masport? We've been heating New Zealand homes for almost 40 years.

All Masport fires are built in New Zealand for New Zealanders. We pride ourselves on supporting the local economy and keeping jobs in the country. Making a Masport wood fire is a team effort. We buy New Zealand-made steel that is cut, crafted, welded, and assembled by our team of over 70 Kiwis. This local knowledge and expertise mean that we can keep your home and your family warm over the winter period. Our dedicated and passionate staff have centuries of experience in the wood fire industry and love bringing exciting new products to market each year.

Masport Heating has been helping New Zealanders simplify the process of bringing home the comforting warmth and ambience that only a wood fire can provide.



Is a wood fire the best option for me?

Choosing which wood fire to install in the home is an important decision that should be based on the acutal warmth you will feel and need in the home. After all, it's that unmistakable cozy, warm and homely feeling only a wood fire can bring that we all want in the first place.

At Masport Heating we want to provide customers with trustworthy and reliable information based on data that reflects 'real world' situations and usage for the New Zealand homes that they live in.

- Versatility A wood fire has a multi-purpose function which, apart from being your primary heat source, can be used in conjunction with a heat transfer system, hot water heating, and cooking during power failure.
- Sustainable Wood is a carbon-neutral product, and unlike other fuels, burning wood generates no more carbon dioxide(CO2) than if it was left to decompose naturally. Wood is also a renewable energy source making it a sound environmental choice.
- Quality with 10 to 20-year firebox warranties available on products across the range, a Masport wood heater is a long-term, reliable heating solution. Plus, Masport holds operational spare parts for 15 years from the last manufacture; this gives you peace of mind and knowledge that you can service your wood fire over its lifetime.
- Options with styles and sizes to suit every home, you can select a model that will warm your home and become a design feature of any room.

Buying Guide for Masport Wood Fires FREE STANDING FIRES

ating t ¹					Opti	ions		Opti Ext	onal ras			Com	plia	nce⁴				Perf	orma	ance	
Space Heating Output ¹	Туре	Model		PEDESTAL	LEG	ASH PAN	WOOD STACKER	WATER BOOSTER	FAN	NES	ULEB - ECan & Nelson	ECan^	BOPRC	ORC1	Hawke's Bay	Rural	Extended Burn ²	Efficiency %	Emissions g/kg	Emissions mg/MJ	Max Avg Output kW ³
Small 1-2 Bedrooms	LEB	R1200		O	0					0		⊘	⊘	0	0	0		66	0.49	N.A	6.9
	ULEB	Clutha	8	0		0	O			0	0	0	0	0	0	0		66	0.46	35	9.4
	ULEB	Waimakariri 📲	Ì			⊘				0	0	0	0	0	0	0	0	66	0.34	24	6.3
smoo.	ULEB	Kaituna		0	0	0	⊘			0	0	0	0	0	0	0		65	0.56	33	8.7
2-3 Bedr	RURAL	Kaituna Rural	1	0	⊘	⊘	⊘									0		N.A	N.A	N.A	8.7
Small – Medium 2-3 Bedrooms	ULEB	Coronet		0						0	0	0	0	0	0	0		65	0.56	33	8.7
Small -	LEB	Akaroa	2			⊘	⊘			0		0		0	0	0		67	0.7	N.A	9.8
	LEB	R3000		O	O	O	⊘			0		⊘	0	0	0	0		66	0.36	N.A	7.3
	RURAL	R3000R		S	O	O										0		N.A	N.A	N.A	7.3
(0	ULEB	Hurunui		0	O	O				0	0	0	0	0	0	0	0	65	0.55	31	10.2
sedrooms	RURAL	Hurunui Rural		0	O	O										0	0	N.A	N.A	N.A	10.2
Medium – Large 3.4 Bedrooms	ULEB	Cashmere	2	0						0	0	0	0	0	0	0	0	65	0.55	31	10.2
dium – La	ULEB	Rakaia	Ť							⊘	0	0	0	0	0	⊘	0	66	0.42	36	8.7
Me	LEB	Wanaka	-	0				⊘*		0		⊘		0	0	0		65	0.7	N.A	10.4
		Mackenzie				*		0		⊘		0			0	0	0	68	0.9	N.A	15.4
drooms		Osburn				O		*		0		0		0	0	0	0	70	0.7	N.A	13.5
Large 4+ Bedrooms		R5000	eu(⊘*	0						0	0	71	0.5	N.A	13.4
Larg		R5000R	-						⊘*							0	0	N.A	N.A	N.A	13.4
Key	RURAL				1				 	i)						Þ					
-	ULEB ULEB Ultra Low		RURAL RURAL for		PEDESTAL PED Base wit	LE h Base	E G with B	ASH PAN ASH Case with	WOOD STACK WOOD STACK	R E	INSER INSER	a RT units	ZE		Ū	OVEN		в	WATER WATER	R ER	FAN FAN Option
	Emission Burner	Emission pr	roperties ver 2 ha	5	Pedesta		gs .	Ash Pan	Base wi wood stor	th 1	for mas cavi	onry ty	Bo	< for frame	/			retro	Optiona fitable ing pip	al water	Fan

INBUILT FIRES

ating t ¹			Opti	ions		ional tras			Con	nplia	nce⁴	Ļ			Perf	orm	ance	;
Space Heating Output ¹	Туре	Model	INSERT	ZERO CLEARANCE	WATER BOOSTER	FAN	NES	ULEB - ECan & Nelson	ECan^	BOPRC	ORCI	Hawke's Bay	Rural	Extended Burn ²	Efficiency %	Emissions g/kg	Emissions mg/MJ	Max Avg Output kW ³
Small – Medium 2-3 Bedrooms	ULEB	Rangitata	0	0			⊘	0	0	0	0	0	0	0	68	0.41	38	9.4
Small – I 2-3 Ber	LEB	LE4000	0	⊘		<	0		⊘		⊘	⊘	⊘		67	0.6	N.A	9.2
Large 4+ Bedrooms	RURAL	17000		⊘*									0	0	N.A	N.A	N.A	N.A

OUTDOOR FIRES

		Opt	ions
Туре	Model		ZERO CLEARANCE
Outdoor	Matakana 1200	0	0
Outdoor	Matakana 1200 Freestanding Package	0	•

- Space Heat Output is only a guide based on homes with average insulation, window areas, and 2.4m ceiling heights. Differences in these factors, as well as others like, geographical location, layout of the house, living room size, type of windows all play a part in choosing the right model for your heating needs. Consult your dealer or installation contractor for more information.
- 2. Extended burn time: It is possible to achieve an extended burn time, when using a mixture of pine and hardwood. The burn period may vary due to factors such as moisture, density of fuel, environmental factors and how the unit is operated.
- 3. Maximum average output is kW output as per NES test AS/NZS 4012:2014. This kW rating reflects the real world usage of any fire and can be found on the official compliance plate on the fire or on the BeReal tag.
- Certain air sheds in these regions of New Zealand have more stringent rules than NES. Consult your Masport dealer or local council for specific rules applicable for your location.

*Conditions apply - Refer to product page for details.

Masport Heating recommends that all installation and service work of any wood fire, bakers oven or outdoor fire be carried out by an installer who has completed the certification programme authorised by New Zealand Home Heating Association (NZHHA).

		Minimum Performance Required	Efficiency %	Emissions g/kg	Emissions mg/MJ
Ministry for the Environment Hereft M& & Take	NES	Complies to National Environment Standards set by Ministry for the Environment for use in all New Zealand regions. Exception apply to some airsheds in some of the regions.	65	1.5	
Regional Council Kauthere Tribo ki Watcha	ULEB - ECan & Nelson	Complies to the stricter Environment Canterbury & Nelson region's ULEB emission standards which requires testing to CM1.6 method.	65	1.5	38
Canterbury Regional Council Kawihera Taisa ki Weitaba	ECan^	ECan [^] - Areas of Environment Canterbury region where ULEB regulation is not applicable e.g. areas of Selwyn, Geraldine district councils and areas outside main ULEB airsheds.	65	1.0	
BAY OF PLENTY REGIONAL COUNCIL TO MOANA	BOPRC	Complies to the more stringent Bay of Plenty Regional Council's emission standards for the Rotorua airshed.	65	0.6	
Otago Regional Council	ORC1	Complies to the more stringent Otago Regional Council's emission standards for Airshed 1 comprised of Arrowtown, Cromwell, Clyde and Alexandra.	65	0.7	
	Hawke's Bay	Complies to the more stringent Hastings Regional Council's emission standards for the Hastings Zone 1 airshed.	65	1.0	
	Rural	Rural fires can only be installed on a section of two hectares or larger. Check with your council for clarification on local restrictions. ULEB & LEBs can be installed on rural properties.			

Future proofing with Masport wood fires

At Masport Heating, we want to do what is right for the environment. Whether it is using energy more efficiently or improving our air quality, we want a cleaner, greener Aotearoa.

Our new Ultra Low Emission Burners (ULEBs) are engineered to do just that.

Masport, using its vast experience and resources, is committed to developing and exploring different combustion techniques to deliver ULEBs based on and around the new real-life test, and fuel sourced from your local wood merchant.

As New Zealand continues to refine regulations to protect our natural environment, the Masport ULEBs are designed to exceed the most stringent air quality emission standards whilst giving a longer burn periods seen in some conventional wood fires currently available in the market.





Producing a cleaner, better Fire

Ultra M3 technology incorporates a fusion of 3 key features to elevate the performance, clean burning, safety and lower maintenance costs.

Masport M3 Box Baffle

The Ultra M3 design outperforms traditional baffles, ensuring cleaner burns. By superheating secondary air in the firebox, it achieves ultraclean combustion. Constructed from Stainless Steel, Masport M3 Box Baffles are more durable, reducing the need for frequent replacements and lowering running costs. They are also less prone to environmental issues.

Masport M3 Starter Latch

The Masport M3 Starter latch is a simple yet effective safety solution that enhances fire operation. By allowing the door to be positioned slightly ajar, it facilitates easy ignition by allowing air to enter the firebox. It also ensures better ventilation when the fire is not in use

Masport M3 Ceramic Brick

Featuring a higher thermal mass, Masport M3 Ceramic Bricks release stored heat towards the end of the burn cycle, ensuring more consistent heat output. They are also more resilient, resulting in longer lifespan and reduced replacement needs.

The choice is easy

Cleaner air, lower operating costs, more comfortable rooms, and all with an extended burn. Made in New Zealand and suitable for all regions, we believe Masport ULEBs are the future of wood fires.



Future proof your purchase to protect the New Zealand natural environment.



 Catura ULEB

FREESTANDING ULTRA LOW EMISSION WOOD FIRES



ULTRA-LOW EMISSION BURNERS

Non-Catalytic ULEB

Radiant Fire

Kaituna **и**LEB

Inspired by the Kaituna River in the Bay of Plenty, steeped in history the Kaituna wood fire lends traditional wood firebox designs with elevated new technology.

- Available in four base options
- Built with the Masport Ultra M3 technology
- Stainless Steel baffle for longevity
- Ceramic bricks for heat retention and durability
- Reduced long-term running costs
- Start-Up Latch for convenience and safety
- Does not require electricity

Finish		Metallic Bla	ck VHT		
Space Heat Outp	out	Suitable for	Small to Medium h	nomes (2-3 bedroom	ıs)
Dimensions w x o	d x h	623 x 540 :	x 747/797*mm		
BASE OPTIONS	PED	ESTAL	LEG	ASH PAN	WOOD STACKER
Fire Only	9999	925	999928	999926	999927
Flue Only	GDF	LU013M	GDFLU013M	GDFLU013M	GDFLU013M
Fire & Flue Pack	KAITU	JNAPEDPACK	KAITUNALEGPACK	KAITUNAASHPACK	KAITUNAWSPACK





OR 202



* Wood Stacker height

Radiant Fire

Hurunui ULEB

Named after the Canterbury regions 4th largest river, the Hurunui combines classic styling with excellent features required to heat your home.

- Stainless steel durable baffle
- Ceramic bricks for heat retention
- Roller catch & Start-up latch mechanism
- 8mm radiant cook top and 6mm steel firebox
- Extended burn time*
- Does not require electricity
- > A future proof solution for both clean air zone and rural installations

GDFLU013M

Finish	Metallic Black	/HT	
Space Heat Output	Suitable for me	dium to large homes	(3-4 bedrooms)
Dimensions w x d x h	700 x 594 x 7	60 mm	
BASE OPTION	PEDESTAL	ASH PAN	LEG
Fire Only	999915	999923	999924

GDFLU013M

HURUNUIPEDPACK HURUNUIASHPACK





8 **MASPORT FREESTANDING WOOD FIRES**

Flue Only

Fire & Flue Pack

*Extended burn time: Is achievable, when using a mixture of pine and hardwood. Burn period may vary due to factors such as moisture, density of fuel, environmental factors and how the unit is operated.

HURUNUILEGPACK

Non-Catalytic ULEB

ULTRA-LOW EMISSION BURNERS

Radiant Fire

Clutha исев

Inspired by NZ's 2nd longest river, the Clutha's sleek aesthetic and compact footprint makes it ideal for a wide range of homes.

- Expansive portrait viewing window
- Ceramic bricks for heat retention and durability
- Stainless Steel baffle for longevity
- Reduced long-term running costs
- Start-Up Latch for convenience and safety
- Does not require electricity

Finish	Metallic Black VHT		
Space Heat Output	Suitable for Small to	Medium homes (2-3	bedrooms)
Dimensions w x d x h	495 x 524 x 894m	m	
BASE OPTIONS	PEDESTAL	ASH PAN	WOOD STACKER
Fire Only	999916	999921	999922
Flue Only	GDFLU013M	GDFLU013M	GDFLU013
Fire & Flue Pack	CLUTHAPEDPACK	CLUTHAASHPACK	CLUTHAW

*Extended burn time: Is achievable, when using a mixture of pine and hardwood. Burn period may vary due to factors such as moisture, density of fuel, environmental factors and how the unit is operated.











Ultra-Low Emission Burners (ULEB)

Our Next Generation Technology

All fires are not created equal, , when it comes to their impact on the environment, the difference can be significant. The emissions from Masport's latest range of clean-burning wood fires are lower than ever.

Our Ultra-Low Emission Burners (ULEBs) are among the cleanest solid fuel burners available and meet all of New Zealand's strictest environmental standards. They are also designed to deliver powerful and lasting warmth, with some models even able to heat your home overnight.

Model : Hurunui ULEB

1ª

ULTRA-LOW EMISSION BURNERS

Radiant Fire

Coronet **и**LEB

Masport's Coronet ULEB fire is inspired by Queenstown's majestic Coronet Peak, embodying strength and durability in its conventional design, mirroring the iconic stature of the peak.

- Built with the Masport Ultra M3 technology
- Stainless Steel baffle for longevity
- Ceramic bricks for heat retention and durability
- Reduced long-term running costs
- Start-Up Latch for convenience and safety
- Does not require electricity

Finish	Metallic Black VHT
Space Heat Output	Suitable for Small to Medium homes (2-3 bedrooms)
Dimensions w x d x h	623 x 540 x 747mm
BASE OPTIONS	PEDESTAL
Fire Only	999919*
Flue Only	GDFLU013M
Available at Mitre 10 stores	

Radiant Fire

Cashmere **ULEB**

The Masport Cashmere ULEB fire is inspired by Christchurch's tranquil Cashmere suburb, combining conventional design with soothing warmth that mirrors the peaceful ambience of the area.

- Built with the Masport Ultra M3 technology
- Stainless Steel baffle for longevity
- Ceramic bricks for heat retention and durability
- Reduced long-term running costs
- Start-Up Latch for convenience and safety
- Does not require electricity
- A future proof solution for both clean air zone and rural application

Finish	Metallic Black VHT
Space Heat Output	Suitable for medium to large homes (3-4 bedrooms)
Dimensions w x d x h	700 x 594 x 760 mm
BASE OPTION	PEDESTAL
Fire Only	999918*

due to factors such as moisture, density of fuel, environmental factors and how the unit is operated.

GDFLU013M Flue Only

Available at Mitre 10 stores only

FOR **202**



Non-Catalytic ULEB





ULTRA-LOW EMISSION BURNERS

Catalytic Combustor ULEB

Waimakariri **uleb**

Inspired by the beauty of Canterbury's river region, the Waimakariri features the Catalytic Combustor Technology, delivering consistent warmth and burn times while using less wood.

- Built-in easy clean Ash Pan
- 6mm radiant cook top and 6mm steel firebox
- Roller door catch mechanism
- Extended burn time*
- > 2 Year warranty on all firebox internal spare parts
- Does not require electricity
- A future proof solution for both clean air zone and rural installations

Finish	Metallic Black VHT
Space Heat Output	Suitable for small to medium homes (2-3 bedrooms)
Dimensions w x d x h	623 x 616 x 713 mm



Fire & Flue Pack WAIMAKASHPACK





Radiant Fire

BASE OPTION

Fire Only

Flue Only

Rakaia **и**LEB

Tribute to Canterbury's largest river, the Rakaia is a leader in producing longer-lasting consistent heat with fewer emissions by utilising Catalytic Combustor Technology.

- Built-in easy clean Ash Pan
- Impressive 64 litre fire box capacity
- 8mm flat radiant cook top and 6mm steel firebox
- Roller door catch mechanism
- Extended burn time*
- 2 Year warranty on all firebox internal spare parts
- Does not require electricity
- A future proof solution for both clean air zone and rural installations

Finish	Metallic Black VHT
Space Heat Output	Suitable for medium to large homes (3-4 bedrooms)
Dimensions w x d x h	700 x 661 x 803 mm
BASE OPTION	

OPTION	ASH PAN
Fire Only	999901
Flue Only	GDFLU013M
Fire & Flue Pack	RAKAIAPACK





FREESTANDING LOW EMISSION WOOD FIRES



Mackenzie R10000

With the sophisticated line and unrivalled power, this fire is ideal for large open plan rooms and includes stove top cooking.**

- NES and ECan[^] clean air approved
- Superior heat from a 6mm steel firebox and 8mm steel radiant cook top
- Built-in easy clean Ash Pan
- Extended burn time*
- Optional water booster available (2.7 kW max)

Finish	Metallic Black VHT
Space Heat Output	Suitable for large homes (4+ bedrooms)
Dimensions w x d x h	790 x 715 x 799 mm

BASE OPTION	ASH PAN	OPTIONAL EXTRAS	WATER BOOSTER
Fire Only	984910	Part Code	984915
Flue Only	GDFLU013M	Fire+Wet Pack	MACKENZIEWET
Fire & Flue Pack	MACKENZIEPACK	Fire+Flue+Wet Pack	MACKENZIEWETPAK

**Mackenzie R10000 model has been developed with a high heat output required for larger homes with an open plan area of a minimum of 100m². Installing and operating this fire as per Masport instructions is important. Consult your Masport dealer before purchase..



Radiant Fire

Large Home Fires

Osburn 1600

Environmentally friendly and inspired by the Canadian winter, the clean-burning wood fire provides the ultimate heat retention to meet the heating needs in harsh winter areas.

- NES, ECan[^] and ORC Airshed 1 clean air approved
- Heavy steel construction with 8mm flat radiant cook top
- Built-in ash pan within pedestal for easy cleaning
- Extended burn time*
- Easy installation with ash only floor protection required
- Optional 2.2 kW Water booster kit available

Finish	Metallic Black VHT		
Space Heat Output	Suitable for large hom	es (4+ bedrooms))
Dimensions w x d x h	635 × 677 × 743 mm		
BASE		OPTIONAL EXTRAS	

of flow	ASH PAN	
Fire Only	983900	F
Flue Only	GDFLU012M	
Fire & Flue Pack	OSBURNDRYPACK	



Part Code 98309



Anstallations limited to specific regions in Canterbury *Extended burn time: Is achievable, when using a mixture of pine and hardwood. Burn period may vary due to factors such as moisture, density of fuel, environmental factors and how the unit is operated.

R1200

A compact fire for small spaces to balance between heat output, design and price.

- NES, ECan[^] and ORC Airshed 1 clean air approved
- Hard wearing 6mm steel radiant cook top
- Steel firebox for efficient burning
- Easy installation with ash only floor protector

Finish	Metallic Black VHT
Space Heat Output	Suitable for small homes (1-2 bedrooms)
Dimensions w x d x h	493 × 510 × 640 mm
BASE OPTIONS	

	PEDESTAL	LEG
Fire Only	992935	992936
Flue Only	GDFLU013M	GDFLU013M
Fire & Flue Pack	R1200PEDPACK	R1200LEGPACK

😯 Radiant Fire

Akaroa

The Akaroa breaks the mould of the traditional wood fire. It's sleek, curved design complements a contemporary home while adding a sense of modernity to more traditional decors. The Akaroa will make a statement while keep you warm this winter.

- ▶ NES, ECan[^] and ORC Airshed 1 clean air approved
- Built-in easy clean Ash Pan
- Woodstacker option available

Finish	Metallic Bla	ack VHT
Space Heat Output	Suitable fo	r small to medium homes (2-3 bedrooms)
Dimensions w x d x	h 481 × 536	× 1025 mm
BASE OPTIONS	ASH PAN	WOOD STACKER
Fire Only 9	81901	981903

^Installations limited to specific regions in Canterbury.

Flue Only

Fire & Flue Pack

GDFLU018M

AKAROAPACK







*Extended burn time: Is achievable, when using a mixture of pine and hardwood. Burn period may vary due to factors such as moisture, density of fuel, environmental factors and how the unit is operated.

GDFLU018M

AKAROAWSPACK

LEB

N XO⁸³⁹

Wanaka

A high output, clean burning multipurpose wood fire. Capable of heating medium to large room areas.

- ▶ NES, ECan[^] and ORC Airshed 1 clean air approved
- 8mm radiant cook top and 6mm firebox for efficient burning
- Optional ash catcher
- Optional water booster available for Rural application only Þ (2.2 kW max)

Finish	Metallic B	lack VHT		
Space Heat Output	Suitable fo	or medium to large	homes (3-4 be	edrooms)
Dimensions w x d x h	700 × 611	× 745 mm		
BASE OPTION		OPTIONAL EXTRAS		ASH C

Part Code

WATER BOOSTER

PCAW74C

992136

TEDESTRE
992925*
GDFLU012M
WANAKAPACK*

^Installations limited to specific regions in Canterbury.







Installations limited to specific regions in Canterbury Extended burn time: Is achievable, when using a mixture of pine and hardwood. Burn period may vary due to factors such as moisture, density of fuel, environmental factors and how the unit is operated.



Dimensions w x d x h 700 x 576 x 720 mm

BASE OPTIONS	ASH PAN	LEG
Fire Only	983912	983922
Flue Only	GDFLU012M	GDFLU012M
Fire & Flue Pac	k R5000PEDPACK	R5000LEG2PACK





986063 983916** Part Code

**Fan can not be fitted on LEG model or with water booster



Radiant Fire

Þ

R3000 LIMITED STOCK

Our cleanest low emission fire, with the flexibility of four base options.

- ▶ NES, ECan^ˆ and ORC Airshed 1 clean air approved
- 6mm radiant cook top and 6mm steel firebox for efficient burning
- Easy installation with ash only floor protector
- Woodstacker base option includes convenient wood storage solution
- > Ash base option includes built in ash drawer for easy cleaning

Finish	Metallic Black VHT
Space Heat Output	Suitable for small to medium homes (2-3 bedrooms)
Dimensions w x d x h	623 × 522 × 690/744* mm

BASE OPTIONS	PEDESTAL	LEG	ASH PAN	WOOD STACKER
Fire Only	992930	992931	992932	992933
Flue Only	GDFLU013M	GDFLU013M	GDFLU013M	GDFLU013M
Fire & Flue Pack	R3000PEDPACK	R3000LEGPACK	R3000ASHPACK	R3000WSPACK

^Installations limited to specific regions in Canterbury *Wood Stacker Height



Installations limited to specific regions in Canterbury

*Extended burn time: Is achievable, when using a mixture of pine and hardwood. Burn period may vary due to factors such as moisture, density of fuel, environmental factors and how the unit is operated



FREESTANDING RURAL WOOD FIRES



Rural fires are capable of a comprehensive extended burn time," making them an all-in-one multi-purpose appliance that offers great value for money.

Rural fires can only be installed on a section of two hectares or larger. Contact your council for clarification on local restrictions. Masport wood fires also have an extensive range of clean air wood fires, visit our website for more information.

Kaituna Rural

Finish	Metallic Black VHT
Space Heat Output	Suitable for small to medium homes (2-3 bedrooms)
Dimensions w x d x h	623 × 540 × 747/797 mm

BASE OPTIONS	PEDESTAL	LEG	ASH PAN	WOOD STACKER
Fire Only	KAITUNARURALPED	KAITUNARURALLEG	KAITUNARURULASH	KAITUNARURALWS
Flue Only	GDFLU013M	GDFLU013M	GDFLU013M	GDFLU013M
Fire & Flue Pack	KAITUNARPEDPACK	KAITUNARLEGPACK	KAITUNARASHPACK	KAITUNARWSPACK

R3000 Rural (LIMITED STOCK

Finish Metallic Black	Metallic Black VHT	BASE OPTIONS	PEDESTAL	LEG	ASH PAN	WOOD STACKER
		Fire Only	R3000RURALPEDPK	R30000RURALLEGPK	R3000RURALASHPK	R30000RURALWSPK
Space Heat Output	Suitable for small to medium homes (2-3 bedrooms)	Flue Only	GDFLU013M	GDFLU013M	GDFLU013M	GDFLU013M
Dimensions w x d x h	623 × 522 × 690 mm	Fire & Flue Pack	R3000RPEDPACK	R3000RLEGPACK	R30000RASHPACK	R3000RWSPACK

Hurunui Rural

Finish	Metallic Black VHT
Space Heat Output	Suitable for small to medium homes (2-3 bedrooms)
Dimensions w x d x h	700 × 594 × 760 mm

BASE OPTIONS	PEDESTAL	ASH PAN	LEG
Fire Only	HURUNUIRURALPED	HURUNUIRURALASH	HURUNUIRURALLEG
Flue Only	GDFLU013M	GDFLU013M	GDFLU013M
Fire & Flue Pack	HURUNUIRPEDPACK	HURUNUIRASHPACK	HURUNUIRWSPACK

R5000 Rural (LIMITED STOCK

Finish	Metallic Black VHT
Space Heat Output	Suitable for large homes (4+ bedrooms)
Dimensions w x d x h	700 × 576 × 720 mm

**Fan can not be fitted on LEG model or with water booster.

BASE OPTIONS	ASH PAN	LEG	OPTIONAL		
Fire Only	R5000RURALPEDPK	R50000RURALLEGPK	EXTRAS		
Flue Only	GDFLU013M	GDFLU013M		WATER BOOSTER	FAN
Fire & Flue Pack	R5000RPEDPACK	R5000RLEGPACK	Part Code	986063	983916**



TECHNICAL SPECIFICATIONS

Steel Floor Protectors

Enhance your freestanding wood fire with a NZ made, stylish, black powder coated steel floor protector, available in a range of sizes to suit your needs.




	Parallel Floor Protector Installation				С	tector Installati	stallation		
Size - Width x Depth (mm)	870 × 921	900 × 930	950 × 1030	1000 × 1160	1010 × 1010	1036×1036	1180 × 1180	1300×1300	
Steel Thickness	4 mm	4 mm	4 mm	4 mm	4 mm	4 mm	4 mm	4 mm	
Model	998908	998901	998903	998905	998902	998909	998904	998906	
Akaroa	O	0				O	O		
Clutha	O	O				O	O		
Hurunui / Cashmere			O				O		
Kaituna / Coronet		O				O	O		
Mackenzie				O				O	
Osburn 1600 Dry			O				O		
R1200	O	O			O				
R3000	O	O					O		
R5000			O				O		
Rakaia			O				O		
Waimakariri			O				O		
Wanaka			O				\bigcirc		

*Floor Protectors are designed and made of 4mm steel and comply to AS/NZS 2918:2001 standard.

Parallel Floor Protectors








1030


1180


950






Corner Hearths





Clearance Specifications

Minimum distance to heat sensitive materials (mm) when a Masport double skin flue shield and air deflector (if required) is fitted as per Masport specifications.



Model	Space Heat Output ¹	Type of Flue Shield	Type of Floor Protector	A	В	С	D	E	F	G	Н	I	J	K	L	Μ	Ν	R	W
Akaroa ³ Ash / Woodstacker	SML—MED	MDSS	AFP	100	350	300	117	180	261	591	400	415	715	920	1236	1025	670	566	481
Clutha ^{2,3}	SML-MED	MDSM	AFP	83	325	300	117	144	246	573	384	428	729	902	1199	998	656	543	495
Hurunui Ped/Ash/Leg, Cashmere & Rurals ^{2,3}	MED—LRG	MDSM	AFP	110	225	300	100	85	306	575	441	600	900	944	1262	1104	638	624	700
Kaituna Ped/Ash/Leg/WS Coronet & Rurals	SML—MED	MDSM	AFP	79	262	300	100	88	247	573	415	522	823	862	1201	1033	614	587	623
Mackenzie R10000 ²	LRG	MDSM	AFP	150	400	300	87	160	350	795	550	664	964	1070	1498	1294	720	778	790
🟵 Osburn 1600 Dry ^{2,3}	LRG	MDS	AFP	100	360	300	81	150	300	678	483	496	796	1003	1385	1156	701	684	635
R1200 Leg / Ped ^{2,3}	SML-MED	MDSM	AFP	100	280	300	116	100	290	527	401	425	725	888	1160	974	598	567	493
R3000 Leg / Ped / Ash / Woodstacker & Rural ^{2,3}	MED—LRG	MDSM	AFP	100	230	300	100	100	290	542	446	523	823	883	1224	1050	593	631	623
R5000 Leg / Ped & Rural ^{2,3}	MED—LRG	MDS	AFP	128	200	300	100	85	324	550	441	600	900	968	1268	1109	644	624	700
Rakaia ³	MED-LRG	MDSM	AFP	100	260	300	100	100	278	610	456	600	900	1001	1367	1179	723	644	700
😯 Waimakariri Ash ³	SML-MED	MDSM	AFP	100	180	300	100	100	288	492	440	522	824	958	1292	1098	670	622	623
🕀 Wanaka ²	MED-LRG	MDS	AFP	90	285	300	100	100	305	635	464	600	900	944	1295	1128	639	656	700
• Nectre Bakers Oven ²	SML-MED	MDSM	IFP-12	125	350	300	100	350	260	625	640	450	750	973	1618	1303	713	905	550
Nectre Big Bakers Oven ²	LRG	MDSM	IFP-15	125	325	300	100	275	258	670	613	590	890	973	1582	1327	715	867	690

¹ Heat output and burn time will vary depending on fuel size, type and moisture content.

² These models have a cooktop ability. Please ensure cookware is used and food is not put directly on the wood fire surface. Over time cooking on your wood fire may alter the appearance, this is not covered under warranty.

³ These models have been safety tested for ALCOVE configuration, i.e., recessed installation with walls on two sides. The ceiling height of the alcove must be 2.4m. The clearances may vary compared to the clearances shown in the above table. Refer to detailed specifications that come with the fire or Masport website.


Space Heat Output is only a guide based on homes with average insulation, window areas, and 2.4m ceiling heights. Differences in these factors, as well as others like, geographical location, layout of the house, living room size, type of windows all play a part in choosing the right model for your heating needs. Consult your dealer or installation contractor for more information.

Type of Fires	Type of	Type of Flue Shields			Type of Floor Protectors			
Radiant Fire	MDS	Masport Double Skin Flue Shield 1200mm long	GDFLU012M	AFP	Ash Floor Protector			
Convection Fire	MDSM	Masport Double Skin Flue Shield 900mm long with special heat diverter and ceiling plate	GDFLU013M	IFP-12	Floor Protector with 12mm non-combustible material			
Notes	MDSS	Masport Double Skin Flue Shield 600mm long	GDFLU018M	IFP-15	Floor Protector with 15mm non-combustible material			

Notes

- Water heating booster tubes can be fitted to Masport wood fires but the local emission regulations in some areas may preclude their use on some models.
- It is important to note that this dimension page is a guide only. Please refer to the installation manual supplied with the fire for accurate manufacturer recommendations. All details are available on www.masportheating.co.nz
- Clearances are for fire hazard only. For durability of finishes or surfaces you should contact the relevant manufacturer for their specification. Glen Dimplex New Zealand Ltd accepts no responsibility for the deterioration of surfaces or finishes.
- For full warranty details refer to your owner's manual. All heaters must be installed and serviced by an authorised installer. Due to ongoing enhancements, specifications may change without notice. Some pictures and settings are for illustration purpose only. Contact your dealer for fires available in your area.





INBUILT WOOD FIRES



Rangitata **ULEB**

Rangitata is part of a new generation of wood burners that produce longer-lasting heat with fewer emissions. It meets New Zealand's strictest emission standards, providing an eco-friendly alternative to older wood fires.

- Ultra-low emission burner. Approved for all regions in NZ, including Canterbury (ECan CM1 testing approved)
- 15 Year Firebox Warranty
- Durable ceramic bricks
- Superior heat from a 6mm steel firebox
- ▶ For masonry and timber framed (ZC) installations

Finish	Metallic Black VHT
Space Heat Output	Suitable for small to medium homes (2-3 bedrooms)
Fascia Dimensions w x h	870 × 713 mm (insert) 870 × 780 mm (ZC)

BASE OPTIONS	INSERT	ZERO CLEARANCE
Fire Only	999911	999911
Fascia Only	999910	999910
ZC Box	N.A.	999912
Fire+Fascia	MAW2109	MAW2110
Flue Pack	GDFLU001M	GDFLU021M
Fire+Fascia+ Flue Pack	RANGITATAPACK	RANGITATAZCPACK



PEBOX WP

LE4000 Provincial

Transform your existing masonry fireplace into a dramatic modern feature.

- ▶ NES, ECan[^] and ORC Airshed 1 clean air approved
- Substantial heat from a fully finned 6mm steel firebox, triple air combustion system and heat exchanger technology
- Standard single-speed fan for optimal heat circulation
- Suitable for masonry and timber framed Zero Clearance (ZC) recessed installations

BASE

• Available in Wide, Slim or Zero Clearance Fascia



Finish	Black VHT Paint
Louvre / Grill	Black VHT Paint
Space Heat Output	Suitable for small to medium homes (2-3 bedrooms)
Fascia Dimensions w x h	Wide 965 × 675 mm Slim 845 × 700 mm ZC 965 × 745 mm

*Comes with factory fitted with fan which must be connected to main power supply while running the fire. ^Installations limited to specific regions in Canterbury.

OPTIONS	INSERT	ZERO CLEARANCE
Fire Only	995903*	995903*
Fascia Only	995904 (Slim), 995906 (Wide)	995905 (ZC)
ZC Box	N.A.	995984
Fire+Fascia	MAW2104 (Slim), MAW2105 (Wide)	MAW2106
Flue Pack	GDFLU001M	GDFLU021M
Fire+Fascia+ Flue Pack	LE4VHTSLIMPACK, LE4VHTWIDEPACK	LE4VHTZCPACK

With an expansive viewing window, the I7000 adds great visual impact and plenty of heat for large, spacious areas.

- Superior heat from a quality steel firebox
- Fitted with ceramic bricks and steel baffle for durability
- Must install ducted air vents*

Finish Space Heat

Output Fascia

Dimensions w x h

- Requires external ventilation for combustion
- ▶ For Zero Clearance applications only

Metallic Black VHT

Suitable for large homes (4+ bedrooms)

814 × 692 mm

BASE OPTIONS	ZERO CLEARAINCE
Fire+Fascia	982911
Flue Pack	GDFLU021M
Fire+Fascia+ Flue Pack	I7000ZCPACK

*Please refer to installation manual prior to purchase to ensure product is suitable for your home.






Clearance Specifications

Dimensions and minimum floor protector sizes as per standard AS/NZS 2918:2001

Model	Space Heat Output ¹	Туре	Fascia	Type of Floor Protector	Thickness of Floor Protector	Elevation above ground	D	Н	W	F	FF	FH	FW	HW	HD
		Insert	Wide				447	507	500	101	010	680	965		
LE4000 Provincial	SML—MED	Insert Inbuilt	Slim	IFP-3	> 50	> 50 > 50	417	567	590	101	316	700	845	935	345
			Standard				525	696	715	210	315				
I7000 ZC Rural	LRG	Duated	Standard	Ash Non-Combustible Floor		370 +				248	352	692	814	1000	300
		Ducted Built-in ²			N/A	0—350	600	794	860					1000	650
Rangitata without ash lip		Insert	Standard	IFP-1	> 43	43	510	587	630	100	410	713	870	900	362
	SML—MED	Inbuilt	Standard	Ash	N/A	Ash	607	652	770	197	410	713	870	900	422
Rangitata with ash lip		Insert	Standard	IFP-1	> 33	33	510	587	630	100	410	713	870	900	362
	SML—MED	Inbuilt	Standard	Ash	N/A	Ash	607	652	770	197	410	713	870	900	362



Type of Floor Protectors

IFP-1 One layer of 6mm thick PROMATECT-H & 8mm thick tiles


IFP-3 Two layers of 16mm thick MICORE 160 & one layer of 6mm fibre

cement sheet & tiles

Ash Ash Floor Protector

¹ Heat output and burn time will vary depending on fuel size, type and moisture content.
² For other floor protector thicknesses the HD dimension changes. See detailed install instructions.

Space Heat Output is only a guide based on homes with average insulation, window areas, and 2.4m ceiling heights. Differences in these factors, as well as others like, geographical location, layout of the house, living room size, type of windows all play a part in choosing the right model for your heating needs. Consult your dealer or installation contractor for more information.



OUTDOOR WOOD FIRES



Matakana 1200 outdoor wood fire

An ever increasing demand for outdoor living spaces, and the importance of bringing people together whilst creating a welcoming outdoor setting, has inspired Masport Heating to create the **Matakana**.

Drawing inspiration from one of New Zealand's popular getaway spots for locals and visitors alike, the **Matakana 1200 Outdoor Fire** represents a picturesque region known for its farmers' market, boutique food and spectacular vineyards - a foodie's haven.

With an impressive 1.2m width, the **Matakana** not only offers the warmth of an open fire but also cooking facilities on its cast iron hot plate and grill or its substantial pizza oven where 3 × 300mm pizzas can be cooked at any given time.

- High Quality New Zealand, 4mm steel firebox
- Stainless steel runners for 6 cooking heights
- Removable spark guard door
- Stainless steel weather shield for protection against the elements
- In-built pizza oven
- Cast iron hot plate and grill
- Storage area for cooking tray
- Free accessories
 - Pizza paddle
 - Heat resistant gloves
- Suitable for masonry and timber framed Zero Clearance (ZC) recessed installations
- 5 Year firebox warranty*

Construction	4-5 mm thick steel and 3mm Stainless Steel				
Finish	Metallic Black VHT				
Dimensions (Insert) w x h x d	1412 × 793 × 628 mm (ZC) 1310 × 787 × 468* mm (masonry) *508mm including weather cover				
Viewable Fire Area w x h	1160 × 420 mm without spark guard door				
Part Codes	Fire Only	952905			
	ZC Box	952906			
	Fire + ZC Box MATAKANA-ZC				
Flue	Not included Requires custom Flue Kit				



Stainless Steel Adjustable Cook Tray Cast Iron Cooking Plate and Grill



Plate and Grill



Storage Area

 Pizza Oven with 3x Pizza Stones

TITUT

TRI BOL WARRAN

*Refer to the owner manual for detailed terms and conditions of the product warranty.

Matakana Outdoor Freestanding Package

Meet the outdoor entertainer's dream, the Matakana Outdoor Wood fire - complete with architecturally designed corten cabinet which weathers artfully over time to produce a rusted patina. This not only looks stunning, but protects the structure and integrity of the fire itself.

The Matakana will create a perfect outdoor setting for your next gathering with removable cast-iron grill plates for generous cooking capacity, plus the in-built pizza oven caters to three large 30cm (12 inches) bases.

Relax and enjoy nature's greatest TV with the extra wide 1160mm viewing window, complemented by minimalist framing and subtle black detailing. Matakana Outdoor Freestanding Suite is low maintenance yet hard-wearing, with a high-quality steel firebox and stainless steel flue (optional) for optimal durability.

- Heavy-duty and robust cabinet construction
- Easy, hassle-free installation
- Convenient wood storage
- Suitable for both urban & rural outdoor settings including coastal areas

Included within pack:

- Matakana outdoor firebox
- Corten cabinet^
- Weather shield cover
- Spark guard door
- Cast-iron cooking grill and plate
- Pizza paddle
- Heat resistant gloves
- Stainless Steel, Painted Flue Kit (Optional)

Construction Cabinet Flue Kit	3mm thick Corten Steel Stainless Steel
Finish	Metallic Black VHT
Dimensions w x h x d	Cabinet — 1506 x 656 x 1835/1905mm* (*up to spigot)
Optional Flue Kit includes	Main flue pipe — 1.5m long 300mm Dia Outer casing — 1.2m long 400mm Dia Includes necessary brackets, Rain cap and anti-down draft cowl Outer casing, cap and cowl painted Satin Black VHT
Pack Code	Including flue kit — COR1012FLUEPACK Excluding flue kit — COR1012PACK



[^]Please Note: Corten cabinet comes as a flat pack and requires assembly. Also, natural weathering is needed to achieve a rusted patina. Refer to installation manual for assembly instructions, clearances to combustibles, and weathering process of corten panels.



As a sign of our commitment to quality, all new Masport fire boxes come with generous warranties.

Masport warranties our fire boxes, under normal use, to be free from defects in materials or workmanship (from the date of purchase)*:

- Catalytic ULEB Wood Fires 20 years
- Non-Catalytic ULEB Wood Fires 15 years
- LEB Wood Fires 10 years
- Outdoor Wood Fires 5 years

This applies to only the firebox and excludes operational consumables, such as bricks, baffles and air bars etc.

Masport holds operational spare parts for up to 15 years for Low emission burners and up to 20 years for ULEBs, from the last date of manufacture. This gives you peace of mind and knowledge that you can service your wood fire over its lifetime. This is the advantage of buying New Zealand made.

Installation

When installed in the correct manner as shown in the Masport Heating Installation Manual (supplied with the fire), your fire will provide a cleaner and more energy efficient warmth. Likewise, your outdoor fire will provide an impressive focal point in your back yard for many years of entertainment with friends & family. Masport Heating recommends that all installation work be carried out by an installer who has completed the NZHHA certification programme. We recommend that your Masport Fire is installed with an approved Masport flue kit.



Glen Dimplex New Zealand Ltd PO Box 58473, Botany, Auckland

Glen Dimplex New Zealand Ltd's policy is one of continuous development. We reserve the right to change size and specifications without notice. For confirmation of Masport Heating product details please refer to www.masportheating.co.nz. Please refer to the installation and operation instructions before having your Masport Wood Fire installed. A full set of these instructions is supplied with each fire.